## SOLID STATE IONICS

## Author Index to Volume 51


Abo, J., see M. Sato	51 (1992) 85
Akhter, S.K., Physical characterization of lithium phosphoantimonite glassy system	51 (1992) 305
Alcock, C.B., R.C. Doshi and Y. Shen, Perovskite electrodes for sensors	51 (1992) 281
Alcock, C.B., J.W. Fergus and L. Wang, The electrolytic properties of LaYO <sub>3</sub> and LaAlO <sub>3</sub>	
doped with alkaline-earth oxides	51 (1992) 291
Bąk, T., see A. Stokłosa	51 (1992) 27
Bardanzellu, L., see F. Bonino	51 (1992) 215
Benavente, J., see A. Cabeza	51 (1992) 127
Bonino, F., S. Panero, L. Bardanzellu and B. Scrosati, Copper polymer electrolytes	51 (1992) 215
Bonnet, G., J.P. Larpin and J.C. Colson, OMCVD neodymium oxide film effect on	
Z4CN18-09 (AISI 304) steel high-temperature corrosion behaviour	51 (1992) 11
Boukamp, B.A., see B.A. van Hassel	51 (1992) 161
Boukamp, B.A., see I.C. Vinke	51 (1992) 249
Boulanger, C., B. El Mehdi and J.M. Lecuire, Topotactic reactions of the molybdenum	
chalcogenide phase In <sub>2</sub> Mo <sub>15</sub> Se <sub>19</sub>	51 (1992) 61
Bracconi, P., Modeling of the kinetics of chemically controlled solid-gas reactions	51 (1992) 261
Bruce, P.G. and M.Y. Saidi, A two-step model of intercalation	51 (1992) 187
Bruque, S., see R. Pozas	51 (1992) 79
Bruque, S., see A. Cabeza	51 (1992) 127
Bruque, S., see M. Cantero	51 (1992) 273
Burggraaf, A.J., see B.A. van Hassel	51 (1992) 161
Burggraaf, A.J., see B.A. van Hassel	51 (1992) 175
Burggraaf, A.J., see I.C. Vinke	51 (1992) 249
Colored A. M. Martines, J. Donner, and C. Donner, Const. and C. Donner, Co.	
Cabeza, A., M. Martinez, J. Benavente and S. Bruque, Current rectification by	51 (1002) 127
H <sub>3</sub> OUO <sub>2</sub> PO <sub>4</sub> ·3H <sub>2</sub> O (HUP) thin films in electrolyte media	51 (1992) 127
Cantero, M., L. Moreno Real, S. Bruque, M. Martinez Lara and J.R. Ramos Barrado, Pro-	51 (1002) 272
ton conduction in some acid niobium phosphates	51 (1992) 273
Challier, T., see D. Grandjean	51 (1992) 297
Chen, L., see X. Huang	51 (1992) 69
Chowdari, B.V.R., see K. Radhakrishnan	51 (1992) 197
Chowdari, B.V.R., see R. Gopalakrishnan	51 (1992) 203
Colson, J.C., see G. Bonnet	51 (1992) 11
Criado, C., see R. Pozas	51 (1992) 79
Dekker, J.P., V.E.J. van Dieten and J. Schoonman, The growth of electrochemical vapor	
deposited YSZ films	51 (1992) 143
De Vries, K.J., see I.C. Vinke	51 (1992) 249
Doshi, R.C., see C.B. Alcock	51 (1992) 281
Duran, P., see M.T. Hernandez	51 (1992) 147

El Mehdi, B., see C. Boulanger	51 (1992) 61
Fang, S., see X. Huang	51 (1992) 69
Fergus, J.W., see C.B. Alcock	51 (1992) 291
Funke, K., see B. Roling	51 (1992) 15
Giannelis, E.P., see V. Mehrotra Gillot, B., R. Legros, R. Metz and A. Rousset, Electrical conductivity of copper and nickel manganites in relation with the simultaneous presence of Mn <sup>3+</sup> and Mn <sup>4+</sup> ions on oc-	51 (1992) 115
tahedral sites of the spinel structure Gopalakrishnan, R., B.V.R. Chowdari and K.L. Tan, Properties and structure of Pb-Ge-	51 (1992) 7
O-F glasses Grandjean, D., T. Challier, D.J. Jones and P. Vitse, Anion-excess fluorite type solid solutions MF <sub>2</sub> -NdF <sub>3</sub> and MF <sub>2</sub> -UF <sub>4</sub> (M=Ca, Ba): Conductivity and EXAFS spectro-	51 (1992) 203
scopic study Guth, U., B. Löscher, P. Schmidt, H. Wulff and HH. Möbius, Structure and electrical	51 (1992) 297
conductivity of polycrystalline K <sub>2</sub> YZr(PO <sub>4</sub> ) <sub>3</sub>	51 (1992) 183
Han, H. and S. Wang, An investigation of sulfur determination in liquid iron using sulfur	
sensors with MgS-based solid electrolytes	51 (1992) 157
Hernandez, M.T., J.R. Jurado and P. Duran, Influence of CeO <sub>2</sub> content on the electrical	51 (1002) 147
properties of Y <sub>2</sub> O <sub>3</sub> -TZP ceramics	51 (1992) 147
Hiramoto, M., see T. Ohachi	51 (1992) 191
Huang, H., see X. Huang	51 (1992) 69
Huang, X., L. Chen, H. Huang, R. Xue, Y. Ma, S. Fang, Y. Li and Y. Jiang, Electrical properties of a single lithium-ion conductor PMSEO-PLPMS	51 (1992) 69
Isupov, V.P., see N.F. Uvarov	51 (1992) 41
Iwahara, H., see T. Yajima	51 (1992) 101
Jiang, Y., see X. Huang	51 (1992) 69
Jin, T., see M. Sato	51 (1992) 85
Jones, D.J., see D. Grandjean	51 (1992) 297
Judeinstein, P., R. Morineau and J. Livage, Electrochemical degradation of WO <sub>3</sub> ·nH <sub>2</sub> O	51 (1002) 220
thin films	51 (1992) 239
Jurado, J.R., see M.T. Hernandez	51 (1992) 147
Kaczmarek, J., see E. Wolska	51 (1992) 231
Kanno, R., S. Nakamura and Y. Kawamoto, Ionic conductivity of tetragonal PbSnF <sub>4</sub> sub-	
stituted by aliovalent cations Zr <sup>4+</sup> , Al <sup>3+</sup> , Ga <sup>3+</sup> , In <sup>3+</sup> and Na <sup>+</sup>	51 (1992) 53
Kawamoto, Y., see R. Kanno	51 (1992) 53
Kinomura, N. and N. Kumada, Intercalation of weak Lewis bases into HTaWO <sub>6</sub> ·nH <sub>2</sub> O	51 (1992) 1
Kumada, N., see N. Kinomura	51 (1992) 1
Larpin, J.P., see G. Bonnet Lauer, U. and J. Maier, Conductivity enhancement and microstructure in AgCl/AgI	51 (1992) 11
composites	51 (1992) 209

Lauxtermann, T., see B. Roling	51 (1992) 15
Lecuire, J.M., see C. Boulanger	51 (1992) 61
Legros, R., see B. Gillot	51 (1992) 7
Li, D., see W. Wang	51 (1992) 97
Li, J., see H. Maraqah	51 (1992) 139
Li, Y., see X. Huang	51 (1992) 69
Livage, J., see P. Judeinstein	51 (1992) 239
Löscher, B., see U. Guth	51 (1992) 183
Ma, Y., see X. Huang	51 (1992) 69
Madueño, S., see R. Pozas	51 (1992) 79
Maier, J., see U. Lauer	51 (1992) 209
Maraqah, H., J. Li and M.S. Whittingham, Reactions of hydrogen vermiculite	51 (1992) 139
Martin, S.W., An evaluation of the ionic conductivity in AgI-doped glasses: The graded-	
percolation model	51 (1992) 19
Martinez, M., see A. Cabeza	51 (1992) 127
Martinez-Lara, M., see R. Pozas	51 (1992) 79
Martinez Lara, M., see M. Cantero	51 (1992) 273
Masaki, N., see J. Tateno	51 (1992) 75
Mehrotra, V. and E.P. Giannelis, Nanometer scale multilayers of electroactive polymers:	
Intercalation of polypyrrole in mica-type silicates	51 (1992) 115
Metz, R., see B. Gillot	51 (1992) 7
Möbius, HH., see U. Guth	51 (1992) 183
Molenda, J., see A. Stoklosa	51 (1992) 27
Morales, J., C. Perez-Vicente and J.L. Tirado, Chemical and electrochemical lithium in-	** /**** ***
tercalation and staging in 2H-SnS <sub>2</sub>	51 (1992) 133
Moreno-Real, L., see R. Pozas	51 (1992) 79
Moreno Real, L., see M. Cantero	51 (1992) 273
Morineau, R., see P. Judeinstein	51 (1992) 239
Nakamura, S., see R. Kanno	51 (1992) 53
Ohachi, T., M. Hiramoto, Y. Yoshihara and I. Taniguchi, Silver atomic trap measurement	
in Ag <sub>2</sub> Se by coulometric titration method	51 (1992) 191
Ohta, M., see M. Sato	51 (1992) 85
Panero, S., see F. Bonino	51 (1992) 215
Perez-Vicente, C., see J. Morales	51 (1992) 133
Pozas, R., S. Madueño, S. Bruque, L. Moreno-Real, M. Martinez-Lara, C. Criado and	
J. Ramos-Barrado, Lithium insertion in vanadyl phosphate	51 (1992) 79
Prick, D., see E. Wolska	51 (1992) 231
Radhakrishnan, K. and B.V.R. Chowdari, The diffusion coefficient of lithium in V <sub>2</sub> O <sub>5</sub> -	
P <sub>2</sub> O <sub>5</sub> and V <sub>2</sub> O <sub>5</sub> -TeO <sub>2</sub> glasses	51 (1992) 197
Ramos-Barrado, J., see R. Pozas	51 (1992) 79
Ramos Barrado, J.R., see M. Cantero	51 (1992) 273
Rao, K.J., see M.C.R. Shastry	51 (1992) 311

Riedel, E., see E. Wolska  Riese I. Potentiometric sensors based on mixed ionic electronic conductors instead of	51 (1992) 231
Riess, I., Potentiometric sensors based on mixed ionic-electronic conductors instead of solid electrolytes	51 (1992) 109
Riess, I., Four point Hebb-Wagner polarization method for determining the electronic conductivity in mixed ionic-electronic conductors	51 (1992) 219
Roling, B., T. Lauxtermann and K. Funke, Formation and direct recombination of Frenkel	
pairs in silver bromide	51 (1992) 15 51 (1992) 7
Rousset, A., see B. Gillot	31 (1992)
Saidi, M.Y., see P.G. Bruce	51 (1992) 187
Sato, M., J. Abo, T. Jin and M. Ohta, Structure determination of KLaNb <sub>2</sub> O <sub>7</sub> exhibiting ion	£1 (1002) 95
exchange ability by X-ray powder diffraction Schmalzried, H., M. Ullrich and H. Wysk, Investigation of metal transport across AgI/Ag <sub>2</sub> S-	51 (1992) 85
interfaces with miniaturized solid state galvanic cells	51 (1992) 91
Schmidt, P., see U. Guth	51 (1992) 183
Schoonman, J., see J.P. Dekker Scrosati, B., see F. Bonino	51 (1992) 143 51 (1992) 215
Sharma, V., see N.F. Uvarov	51 (1992) 41
Shastry, M.C.R. and K.J. Rao, Thermal and electrical properties of AgI-based composites	51 (1992) 311
Shen, Y., see C.B. Alcock	51 (1992) 281
Shukla, A.K., see N.F. Uvarov Stoklosa, A., J. Molenda and T. Bak, Structure of point defects of YBa <sub>2</sub> Cu <sub>3</sub> O <sub>z</sub> at high	51 (1992) 41
temperature	51 (1992) 27
Suzuki, H., see T. Yajima	51 (1992) 101
Tan, K.L., see R. Gopalakrishnan	51 (1992) 203
Taniguchi, I., see T. Ohachi	51 (1992) 191
Tateno, J. and N. Masaki, Dielectric anomaly at the superionic phase transition in PbF <sub>2</sub> Tirado, J.L., see J. Morales	51 (1992) 75 51 (1992) 133
Thado, J.L., see J. Morales	31 (1992) 133
Ullrich, M., see H. Schmalzried	51 (1992) 91
Uvarov, N.F., V.P. Isupov, V. Sharma and A.K. Shukla, Effect of morphology and particle	51 (1002) 41
size on the ionic conductivities of composite solid electrolytes	51 (1992) 41
Van Dieten, V.E.J., see J.P. Dekker	51 (1992) 143
Van Hassel, B.A., B.A. Boukamp and A.J. Burggraaf, Electrode polarization at the	51 (1002) 161
Au,O <sub>2</sub> (g)/Fe implanted yttria-stabilized zirconia interface Van Hassel, B.A. and A.J. Burggraaf, Characterization of Fe implanted yttria-stabilized	51 (1992) 161
zirconia by voltammetry	51 (1992) 175
Vinke, I.C., B.A. Boukamp, K.J. de Vries and A.J. Burggraaf, Three-electrode current-	
voltage measurements on erbia-stabilized bismuth oxide with sputtered noble metal electrodes	51 (1992) 249
Vitse, P., see D. Grandjean	51 (1992) 249
Wang, L., see C.B. Alcock	51 (1992) 291
Wang, S., see H. Han Wang, W., D. Li and J. Zhao, Solid phase synthesis and characterization of	51 (1992) 157
Na <sub>3</sub> Zr <sub>2-y</sub> Nb <sub>0.8y</sub> Si <sub>2</sub> PO <sub>12</sub> system	51 (1992) 97

Whittingham, M.S., see H. Maraqah	51 (1992) 139
Wolska, E., W. Wolski, J. Kaczmarek, E. Riedel and D. Prick, Defect structures in cad-	
mium-nickel ferrites	51 (1992) 231
Wolski, W., see E. Wolska	51 (1992) 231
Wulff, H., see U. Guth	51 (1992) 183
Wysk, H., see H. Schmalzried	51 (1992) 91
Xue, R., see X. Huang	51 (1992) 69
Yajima, T., H. Suzuki, T. Yogo and H. Iwahara, Protonic conduction in SrZrO <sub>3</sub> -based	
oxides	51 (1992) 101
Yogo, T., see T. Yajima	51 (1992) 101
Yoshihara, Y., see T. Ohachi	51 (1992) 191
Zhao, J., see W. Wang	51 (1992) 97



## Subject Index to Volume 51

Adion, 187 AgI composites, 311 Atomic trap, 191

Bismuth oxide erbia-stabilized, 249 Bulk density, 305

Cadmium-nickel ferrites, 231
Cation distribution, 231
Cobalt oxide, 261
Complex impedance, 197
Composite electrolytes, 41, 209
Conducting polymers, 215
Conductivity ageing, 147
Conductivity in glasses, 19, 203
Copper ion transport, 215
Copper-nickel manganites, 7
Coulometric titration, 191
Current rectification, 127
Cyclic voltammetry, 69, 175

Dielectric constant, 75 Dielectric spectroscopy, 75 Diffusion coefficient lithium, 197

Electrical conductivity, 7
Electrical vapor deposition (EVD), 143
Electrochemical cycling, 239
Electrochromic film, 239
Electrode impedance, 249
Electrode polarization, 161, 249
Electrodes, 281
Electrolytes, 281, 291
Electronic conductivity, 249
partial, 219
Electronic exchange Mn<sup>3+</sup>-Mn<sup>4+</sup>, 7
EMF, 291
Erbia-stabilized bismuth oxide, 249
Exchange flux, 91

Fluoride conductors, 53 Fluorite-type structure, 297 Frenkel pairs, 15

H<sub>2</sub> reduction, 261 Hebb-Wagner method, 219 High temperature sensors, 157 Hopping dynamics, 15

Impedance spectroscopy, 147, 161, 209, 273 Insertion, 61 In situ polymerization, 115 Intercalation, 1, 61, 79, 115, 133, 139, 187 Interface, 311 Interfacial electrochemistry, 187 Ion exchange, 85, 139 Ionic conductivity, 41, 209, 291, 311 copper, 215 fluorine, 297 lithium, 79 potassium, 183 proton, 101, 273 silver, 19 Ionic space charges, 209 Ion implantation, 161 Ion substitution, 53 Iron-doped yttria-stabilized zirconia, 161, 175

Lead fluoride, 75

Magnesium sulfide, 157
Maximum conductivity, 7
Mica, 115
Microsensor, 91
Microstructural behaviour, 239
Microwave conductivity, 15
Mixed conductivity, 175
Mixed ionic-electronic conductors, 109, 219
Modeling, 143
Modeling kinetics, 261
Molar refraction, 305
Molybdenum, 61
Morphology, 41

Nanocomposites, 115 NASICON, 97 Neodymium oxide, 9 Neodymium trifluoride, 297 Niobium phosphates, 273 Noble metal electrode, 249 Nonstoichiometric defects, 231

OMCVD method, 9 Oxyfluoride glasses, 203 Oxygen density, 305 Oxygen electrode kinetics, 249

Perovskite, 85, 281, 291
Phase boundary reaction, 91
Phase relationship, 311
PMSEO-PLPMS, 69
Point defects, 27
Polymeric electrolyte, 69
Polymerization, 139
Potassium ion conduction, 183
Potentiometric sensors, 109
Pyrrole, 115

Reactivity, 261 Redox phenomena, 175 Reversible reaction, 133 Rietveld refinement, 85

Sensors, 281
Silver bromide, 15
Silver selenide, 191
Single lithium-ion conductor, 69
Solid oxide fuel cell (SOFC), 143
Solid phase synthesis, 97
Solid solutions, 297
maghemite, 231
Solid state diffusion, 143
Spinel ferrites, 231
Staging, 133

Strontium zirconate, 101 Structure, 27 Sulfur sensor, 157 Surface modification, 161, 175 Survey of models, 19

Tantalum oxide, 1 Tetragonal PbSnF<sub>x</sub>, 53 Thin films, 127 Tin disulphide, 133 Transference number, 69 Transport number, 101 Tungsten oxide, 1

Uranium tetrafluoride, 297 Uranyl phosphate, 127

Vanadyl phosphate, 79 Vermiculite, 139

XPS, 203 X-ray absorption spectroscopy, 297 diffraction, 183

Yttria-stabilized zirconia, 143 iron-doped, 161, 175

ZrO<sub>2</sub>-Y<sub>2</sub>O<sub>3</sub>-CeO<sub>2</sub> ceramics, 147